Psychopharmacologia

Editorial Board

D. Bovet, Sassari · J. O. Cole, Boston · J. Delay, Paris · J. Elkes, Baltimore M. Hamilton, Leeds · H. Isbell, Lexington · E. Jacobsen, København M. E. Jarvik, New York · S. S. Kety, Boston · C. Kornetsky, Boston · E. Rothlin, Basel M. Shepherd, London · Hannah Steinberg, London · E. Strömgren, Risskov A. Wikler, Lexington

Managing Editors

J. O. Cole · M. Hamilton · E. Jacobsen · C. Kornetsky

Advisory Board

Neurophysiologia

F. Bremer, Bruxelles
J. C. Eccles, Amherst
A. Fessard, Paris
G. W. Harris, London
G. Moruzzi, Pisa
J. Z. Young, London

Neuropharmacologia

P. B. Bradley, Birmingham A. Carlsson, Göteborg
 H. Coper, Berlin
 E. Domino, Ann Arbor D. Efron, Chevy Chase U. S. von Euler, Stockholm W. S. Feldberg, London S. Garattini, Milano L. E. Hollister, Palo Alto O. Hornykiewicz, Toronto E. Hosoya, Tokyo S. Irwin, Portland K. F. Killam, Palo Alto I. P. Lapin, Leningrad L. Lasagna, Baltimore E. Marley, London W. R. Martin, Lexington H. O. Schild, London F. Sjöqvist, Stockholm F. Sulser, Nashville A. Weissman, Groton, Conn. T. Yanagita, Kawasaki

E. Zaimis, London

Neurochimia

S. Barondes, La Jolla
H. Blaschko, Oxford
J. Glowinski, Paris
D. Richter, Epsom
R. Rodnight, London
S. Udenfriend, Bethesda
H. Weil-Malherbe, Washington

Neurologia

H. Gastaut, Marseille P. van Gehuchten, Bruxelles

Psychiatria

J. Angst, Zürich
H. Brill, New York
P. Deniker, Paris
P. Dick, Genève
F. Flügel, Erlangen
H. Hippius, München
J. Jaffe, Chicago
G. Klerman, Boston
N. S. Kline, Orangeburg
M. H. Lader, London
A. J. Lewis, London
O. Lingjærde, Oslo
P. Pichot, Paris
K. Rickels, Philadelphia

J. M. Rose, Leeds
J. Schildkraut, Boston
J. R. Smythies, Edinburgh
W. A. Stoll, Zürich
O. Vinar, Praha

Psychologia

P. Carlton, New Brunswick P. B. Dews, Boston A. DiMascio, Boston H. J. Eysenck, London S. Fisher, Boston S. C. Goldberg, Chevy Chase S. Grossman, Chicago H. Hanson, West Point H. E. Hill, Lexington C. R. B. Joyce, Basel M. Katz, Chevy Chase R. Kelleher, Boston V. Laties, Rochester A. Latz, Tel-Aviv A. Lubin, Leeds A. E. Maxwell, London J. L. McGaugh, Irvine A. Mirsky, Boston D. Overton, Philadelphia V. J. Polidora, Davis R. Russell, Irvine L. Stein, Philadelphia A. Summerfield, London T. Thompson, Minneapolis

O. Zangwill, Cambridge

Volume 21 · 1971



With the acceptance of a manuscript for publication, the publishers acquire the sole copyright for all languages and countries, including all rights of photocopying or reproduction by any other method.

The use of registered names, trademarks etc. in this journal does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and, therefore, free for general use.

Springer-Verlag Berlin Heidelberg New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, Wiesbaden

© by Springer-Berlag Berlin Heidelberg 1971

Contents

	Page
Subject Index	VI
Аккök, I., s. Özek, M., et al	401
Electroshock Seizure Threshold of Offspring from Aldrin-Treated Mother . AMIT, Z., STERN, M. H.: A Further Investigation of Alcohol Preference in the	370
Laboratory Rat Induced by Hypothalamic Stimulation	$\frac{317}{390}$
APPEL, J. B.: Effects of LSD on Time-Based Schedules of Reinforcement	174
BAYER, T., s. BHAGAT, B., et al	287
Locomotion and Its Interaction with Amphetamine	82
BEER, B., s. VOGEL, J. R., et al	1
tine on Drug-Induced Hypnosis in Mice	
Bonsignori, A., s. Suchowsky, G. K., et al	
BRIDWELL, T. J., s. HARTMANN, E., et al.	157
Brown, H.: Some Anticholinergic-Like Behavioural Effects of Trans (-)-18	101
Tetrahydrocannabinol	294
Bunce, R., s. Taylor, M., et al.	165
CALCUTT, C. R., DOGGETT, N. S., SPENCER, P. S. J.: Modification of the Anti- Nociceptive Activity of Morphine by Centrally Administered Ouabain and	444
Dopamine	111
Intake in Rats	192
CASTELLANO, C.: Effects of Some Anticholinergic Drugs on Water Maze	
Learned Behaviour in Mice	361
Chruściel, T. L., s. Herman, Z. S., et al	66
- s. Herman, Z. S., et al.	
	1
COLE, J. O., s. FINNERTY, R. J., et al	
COWAN, A., s. WRAY, S. R.	201
DALRYMPLE, S. D., STRETCH, R.: Effects of Amphetamine and Chlorpromazine on Second-Order Escape Behavior in Squirrel Monkeys	988
DEMPSTER, T., 8. TAYLOR, M., et al	165
DITTRICH, A.: Alteration of Behavioural Changes Induced by 3,4,5-Trimeth-	100
oxyphenylethylamine (Mescaline) by Pretreatment with 2,4,5-Trimethoxy-	
phenylethylamine. A Self-Experiment	229
DOGGETT, N. S., s. Calcutt, C. R., et al	
DRYBANSKI, A., s. HERMAN, Z. S., et al.	66
- s. Herman, Z.S., et al.	74
DUNLEAVY, D. L. F., MACLEAN, A. W., OSWALD, I.: Debrisoquine, Guane-thidine, Propranolol and Human Sleep.	101
ELLINGWOOD, E. H., Jr.: "Accidental Conditioning" with Chronic Meth-	
amphetamine Intoxication: Implications for a Theory of Drug Habituation	131

	Page
Feldman, R. S., s. Houser, V. P. Finnerty, R. J., Soltys, J. J., Cole, J. O.: The Use of dependence with Hyperkinetic Children Fox, P. A., s. Meltzer, D. Frances, H., Jacob, J.: Comparaison des effets de substances cholinergiques et anticholinergiques sur les taux cérébraux d'acétylcholine et sur la motilité	302 187
chez la souris	338
Geller, A., s. Barkov, N., et al. *	$\frac{309}{238}$
a Function of Stimuli	353 382 374
HARTMANN, E., BRIDWELL, T. J., SCHILDKBAUT, J. J.: Alpha-Methylparatyrosine and Sleep in the Rat	
System of the Rat. TRZECIAK, H., CHRUŚCIEL, T. L., KMIECIAK-KOŁADA, K., DRYBAŃSKI, A., SOKOŁA, A.: The Influence of Prolonged Amphetamine Treatment and Amphetamine Withdrawal on Brain Biogenic Amine Content and Behaviour	
in the Rat HÖRTNAGL, H., s. KONZETT, H., et al. HÖRTNAGL, HEIDE, s. KONZETT, H., et al. HO, A. K. S., SINGER, G., GERSHON, S.: Biochemical Evidence of Adrenergic Interaction with Cholinergic Function in the Central Nervous System of	74 247 247
the Rat. 1. Effect of Norepinephrine	
JÄÄTTELÄ, A., MÄNNISTÖ, P., PAATERO, H., TUOMISTO, J.: The Effects of Diazepam or Diphenhydramine on Healthy Human Subjects	338 118 82
KÁLMÁN, E., s. FRÜHAUF, A., et al	382
during Administration in Oral and Long-Acting Injectable Form Kirch, J. D., s. Tang, A. H	139 66
- s. HERMAN, Z. S., et al. KONZETT, H., HÖRTNAGL, H., HÖRTNAGL, HEIDE, WINKLER, H.: On the Urinary Output of Vasopressin, Epinephrine and Norepinephrine during	74
Different Stress Situations	247 328
ratory Activity in Mice: A Contribution to the Problem of Time-Economy and Sensitivity	118 328

0 1 1	
Contents	\

	Page
LARSSON, K., SÖDERSTEN, P.: Lordosis Behavior in Male Rats Treated with Estrogen in Combination with Tetrabenazine and Nialamide LEBLANC, A. E., s. CAPPELL, H.	13 192
LEWANDER, T.: A Mechanism for the Development of Tolerance to Amphetamine in Rats	17 287 165
MacLean, A. W., s. Dunleavy, D. L. F., et al	202 101
mittent Imipramine Administration	187 212
METCALF, F. U., Jr., PEELER, D. F., Jr., ANDY, O. J.: Methamphetamine Effects upon Avoidance Behavior during Limbic Seizures in the Cat MORTILLARO, M.: Der Einfluß von Harmin auf die bioelektrische Aktivität des Hippocampus der Ratte	390 49
ÖZEK, M., TÖRECI, K., AKKÖK, I., GÜVENER, Z.: Die Wirkung der Neuroleptica-Behandlung auf die Antikörperbildung	401 101
Pardo, E. G., s. Rodríguez, R. Peeler, D. F., Jr., s. Metcalf, F. U., Jr., et al.	202 89 390 32 8
Río, J. del: Facilitating Effects of Some Chlorpromazine-d-Amphetamine Mixtures on Avoidance Learning	39 309 89
SINGER, G., s. Ho, A. K. S., et al	157 238 13 302 66 74 111 317 268
Tonge, S. R., Greengrass, P. M.: The Acute Effects of Oestrogen and Progesterone on the Monoamine Levels of the Brain of Ovariectomised Rats . 3 Trzeciak, H., s. Herman, Z. S., et al	65 01 74 66
Vogel, J. R., Beer, B., Clody, D. E.: A Simple and Reliable Conflict Procedure for Testing Anti-Anxiety Agents	-

WEISSMAN, A.: Cliff Jumping in Rats after	r Intravenous	s Treatment	with Ap	Page
morphine				. 60
WILDE, U., s. FRÜHAUF, A., et al				. 382
WINKLER, H., s. KONZETT, H., et al				. 247
WRAY, S. R., COWAN, A.: The Behaviours	l Effects of	Levallorpha	an, Cypr	e-
norphine (M 285) and Amphetamine on	Repeated Y	-Maze Perfo	rmance i	in
Rats				

Indexed in Current Contents

Subject Index

acetylcholine 238, 338 activity 165, 187, 257 adrenergic interaction 238 aggressive behavior 32 alcohol 317 aldrin 370 alperenolol 66 alpha-methylparatyrosine 157 amines, brain 66, 74, 374 amnesia, induced 309 amphetamine 1, 17, 39, 66, 74, 82, 101, 131, 212, 257, 268, 294, 302, 328, 338, amphetamine withdrawal 74 anorexia 17, 165 antagonism 82, 229, 268, 294 antibody formation 401 anticholinergic 294, 338, 361 antidepressants 89 anti-nociception 111

B
barbitone 118
β-blockers 101
behaviour 66, 74, 302
behavioural depression 8
behaviour, bizarre 328
behaviour, cestrous 374
benactyzine 361
benzodiazepines 1
bioelectrical activity 49
brain amines 66, 74, 374

appetite suppressants 139

avoidance learning 39, 268, 309, 370

anxiety, anti- 1 apomorphine 60, 212

arecholine 338

avoidance 82, 390

atropine 361

caffein 382 carbidin 82 castration 13, 32 catecholamines 157 cats 89, 131, 390 children 382 children, hyperkinetic 302 chlordiazepoxide 1, 8 chloroamphetamine, p- 328 chlorphentermine 131 chlorpromazine 39, 82, 118, 268, 294 choline acetylase activity 238 cholinergic function 238, 294, 338 cliff-jumping 60 cold application 247 conflict 1 cycloheximide 309 cyprenorphine 257

D-amphetamine sulfate 1, 39 DDT 370 debrisoquine 101 desmethylimipramine 60 desynchronized sleep 157 detention 309 dexamphetamine 101 dextroamphetamine 302 diastolic blood pressure 247 diazepam 1, 202 dieldrin 370 diphenhydramine 202 ditran 361 dopamine 60, 66, 111, 238 drug-abuse 131 drug-induced hypnosis 287 drug tolerance 17, 238

E

eating behaviour 165, 238 epinephrine 247 escape behaviour, second order 268 eserine 338 estrogen 13, 32, 374 ethanol 287 exploration 118

F

fast activity in HC 49 fenfluramine 131, 165 fixated behaviour 147 flicker fusion 382

G

glycolate 294 guanethidine 101

H

habituation 257 hallucinogens 294 harmin 49 heart rate 247 hippocampus, rat 49 humans 101, 202, 247, 283, 302, 382,401 5-hydroxytryptamine 66, 74, 328 hyperkinetic children 302 hyperthermia 17 hypnosis, drug-induced 281 hypothalamus 317

I

imipramine 82, 101, 187 immunoglobulins 401 impairment 82 inhibition 8 intellectual performance 302 intraventricular 238 isolation 32 isoprenaline 101

L

Lashley jumping stand 147 learning 353 levallorphan 257 limbic seizures 390 lordosis 13 lysergic acid diethylamide (LSD) 174

M

magnesium pemoline 1 male rat 13 MAOI 101 MAO inhibitor 49 memory 309 meprobamate 1, 382 mescaline 229 methadrine 131 methamphetamine 131, 390 mice 32, 82, 89, 111, 118, 212, 287, 294, 309, 338, 361, 370 monkeys, rhesus 131 monkeys, squirrel 268 monoamines 238, 374 morphine 111, 192 motor activity 338

N

narcotic antagonist 257 neuroleptics 212, 401 nialamide 13 nicotine 287 noradrenaline 66, 74, 101 norepinephrine 157, 238, 247

0

oestrogen 13, 32, 374 operant behaviour 39 oral self-administration 192 ouabain 111 ovariectomised rats 374 oxazepam 1

F

pain production 247 passive avoidance 309 p-chloramphetamine 328 pentobarbitol 1 performance test 247 perphenazine 283 perphenazine enanthate 283 pilocarpine 147 phenethylamine 131 p-hydroxyamphetamine 17 p-hydroxynorephedrine 17 potentiation 229 preference 317 premedication 192 progesterone 374 propranolol 101 psychotomimetic 257 punishment 174

Q

quipazine 89

R

rats 1, 8, 13, 17, 39, 49, 60, 66, 74, 89, 147, 157, 165, 174, 187, 192, 212, 238, 257, 317, 328, 353, 374 regulation 192 relationship (amphetamine carbidin) 82 reversal 317 reward reduction 8

Q

schizophrenics 401 scopolamine 1, 147, 361 septal after discharge 390 septal stimulation 390 serotonin 89, 238, 328 seizure threshold 370 sleep 101, 157 spayed female mice 32 stereotypy 212 steroids 32 stimulation, hypothalmic 317 stress 247, 257 sympathomimetics 17 synergism 82 systolic blood pressure 247

tacrine 294 test-sensitivity 118 tetrabenazine 13 tetrahydrocannabinols 294 theta-rhythm 49 thymoleptics 212 time-economy 118 time sampling technique 165 timing behaviour 174 tolerance, drug 17 tranquilizers, minor 1 2,4,5-trimethoxyphenylethylamine 229

U urinary excretion 17, 283 urine volume 247

V variable interval (VI) 174 vasopressin 247

Y Y-maze 257

Instructions to Authors

- 1. Papers will be published in English, French or German.
- 2. Authors should submit manuscripts together with two copies. The original illustration material (original drawing etc.) and two copies should be submitted together with the manuscript.
- 3. The text should be as clear and concise as possible. Both form and content of the paper should be carefully checked to exclude the need for corrections in proof. A charge will be made for changes introduced after the manuscript has been set in type.
- 4. Manuscripts should be typewritten, double-spaced, on one side of letter size paper and with wide margin on the left. All pages should be numbered consecutively. Tables, footnotes and legends for illustrations should be typed (double-spaced) on separate pages. Use the metric system for text and figures.
 - 5. The first page should bear:
 - a) the title;
 - b) the name(s) of the author(s);
 - c) the name of the laboratory where the work was carried out;
 - d) a running title of not more than 67 typewriter strokes;
 - e) footnotes to the title (marked by asterisks).
- 6. Each paper should be preceded by a brief abstract in English concerned with the methods used and with the experimental results which should be presented in such a way that it is possible for the reader to assess their significane. It should be as short as possible and should not exceed 200 words.
- French and German articles should also have an English translation of the title.
- Immediately following the abstract, some relevant key words should be supplied for subject indexing.
- 8. Articles dealing with **original investigations** should first state the problem concisely and arrange the material under Methods, Results, Discussion, References.
- 9. Footnotes should be kept to a minimum and numbered consecutively throughout the paper. Footnotes referring to the title or authors of the article are to be marked by asterisks.
- 10. The bibliography should include only work cited in the text. References should be listed alphabetically at the end of the paper as follows: journal papers—names and initials of all authors, full title, journal abbreviated in accordance with World Medical Periodicals, volume number, first and last page numbers, year in parentheses; books—names of authors, full title, edition, place, publisher, year. Examples:
- Latz, A., Bain, G. T., Kornetsky, C.: Attenuated effect of chlorpromazine on conditioned avoidance as a function of rapid acquisition. Psychopharmacologia (Berl.) 14, 23-32 (1969).
- Fisher, S., Cole, J. O., Rickels, K., Uhlenhuth, E. H.: Drug set interaction: The effect of expectation on drug response in outpatients. *In:* Neuropsychopharmacology. P. B. Bradley, F. Flugle and P. Hoch, *eds.*, vol. 3, pp. 149—156. Amsterdam: Elsevier 1964. Several publications by the same author or group of authors should be listed in chrono-

Several publications by the same author or group of authors should be listed in chronological order; those that appear in the same year should be distinguished by the suffixes a, b, c etc. Citations in the text should be given in parentheses, e.g. (Bindra and Mendelson, 1963) or (Beckman, 1958; Brown, 1963), except when the author's name is part of a sentence, e.g. "Mann (1966) reported that..." When a paper with more than two authors is cited, all authors are named the first time, but subsequently only the first author, e.g. (Miller et al., 1963).

11. Figures should be separated from the text and numbered. They should be restricted to a minimum. Descriptions in captions should not be expanded in the text, nor should the same data be given in both graph and table form. Coloured or previously published illustrations are not usually accepted. Original drawings and graphs should be drawn in Indian ink with lines of uniform thickness. It must be emphasized that a maximum area available is 108×177 mm ($4^1/4 \times 7''$). Inscriptions should allow for any reduction in scale—a capital letter should be about 1.8 mm high in the final version. If figures have to be redrawn for the blockmaker, this may cause considerable delay in publication. Photographs should be sharp, well-contrasted glossy prints at right angles. Authors should mark them with Letraset (Instant Lettering).



SPRINGER-VERLAG BERLIN-HEIDELBERG-NEWYORK

Das AMP-System

Manual zur Dokumentation psychiatrischer Befunde

Herausgegeben von der Arbeitsgemeinschaft für Methodik und Dokumentation in der Psychiatrie (AMP). Zusammengestellt und redigiert von Dr. med. Christian Scharfetter, Universität Zürich Stand: Januar 1971

88 Seiten. 1971 Geheftet DM 3,50 US \$ 1.10 Definitionen und Kommentare zu den von der Internationalen Arbeitsgemeinschaft für Methodik und Dokumentation in der Psychiatrie entwickelten Befunddokumentationsblättern, die als Grundlage elektronischer Datenverarbeitung der internationalen Vereinheitlichung psychiatrischer Diagnostik und Forschung dienen.

Diagnosenschlüssel und Glossar psychiatrischer Krankheiten

Deutsche Übersetzung der internationalen Klassifikation der WHO: ICD (ICD = International Classification of Diseases), 8. Revision, und des internationalen Glossars

Herausgeber: Arbeitsgruppe der WHO für das internationale Glossar und Kommission für Klassifikation und Diagnosenschema der Deutschen Gesellschaft für Psychiatrie und Nervenheilkunde (DGPN), Vorsitzender: H. Helmchen. Übersetzung: W. Mombour und G. Kockott

Stand: Sommer 1971

2., korrigierte Auflage VIII, 67 Seiten. 1971 Geheftet DM 6,— US \$ 1.80 Die international einheitlich geregelte Verwendung psychiatrisch-diagnostischer Begriffe führt zu einer klareren Verständigung der Psychiater untereinander und schafft die Voraussetzung für eine Epidemiologie psychischer Krankheiten.



